



South Coast Air Quality Management District

21865 Copley Drive, Diamond Bar, CA 91765-4178
(909) 396-2000 • www.aqmd.gov

March 26, 2013

Via Electronic Submittal

Mr. Gerardo Rios
U. S. EPA, Region IX
Mail Stop A-5-2
75 Hawthorne Street
San Francisco, California 94105

Dear Mr. Rios:

Proposed Minor Revision to Title V Permit for Exide Technologies, Vernon (ID# 124838)

The South Coast Air Quality Management District (AQMD) has proposed to issue a revised, Title V Permit for Exide Technologies located at 2700 South Indiana Street, Vernon, CA 90058. This revision is considered to be a minor revision. A public notice is not required.

Exide (ID 124838) has proposed to revise their Title V permit by modifying:

Section H (Permits to Construct) – Minor Revision

Appl. No.	Description	Device(s)	Process	System
548251	Addition of automatic feed chute cover door to the cupola furnace (D128) thimble (D133).	D128, D133	1	4

This Title V permit revision is covered under Application No. 548252. Attached for your 45-day review is a draft of the proposed revisions to Facility Permit Section H and the engineering evaluation. The proposed permit revision is for the installation of an automatic door on the furnace, which will reduce toxic emissions from the operation of the furnace. **It is requested that the review of this draft permit be expedited in order to facilitate the issuance of this Permit to Construct and to reduce toxic emissions and health risk.**

This package is being submitted electronically to the e-mail address R9AirPermits_SC@epa.gov in order to facilitate your review. Questions regarding the Exide TV final permit may be directed to Marco A. Polo of my staff at (909) 396-2633.

Sincerely,

Mohsen Nazemi, P.E.
Deputy Executive Officer
Engineering & Compliance Office
South Coast Air Quality Management District

CT:TL:MAP

Enclosures

cc: John Hogarth, Plant Manager, Exide (w/proposed permit revision)
File A/N 548252

Cleaning the air that we breathe...